

1 **Clinical Practice Guideline:** **Orthotic Training and Evaluation**

2
3 **Date of Implementation:** **April 19, 2012**

4
5 **Effective Date:** **March 19, 2026**

6
7 **Product:** **Specialty**

8
9
10 **GUIDELINES**

11 American Specialty Health – Specialty (ASH) considers orthotic training and evaluation
12 when performed by an appropriately trained healthcare professional as medically necessary
13 when the history and physical exam findings justify the necessity of further training and/or
14 evaluation on the effectiveness of the orthotic(s), beyond what is included in the Evaluation
15 and Management (E/M) service, or for practitioners not performing E/M services, beyond
16 the evaluation/re-evaluation service.

17
18 **INTRODUCTION**

19 An orthosis or orthotic is an orthopedic appliance or apparatus used to support, align,
20 prevent, or correct deformities or to improve the function of movable parts of the body.

21
22 An orthotic includes rigid and semi-rigid components that are used to brace or support a
23 weak or deformed body member or restrict or eliminate motion in a diseased or injured part
24 of the body. (Elastic stockings, garter belts, neoprene braces and similar devices do not
25 come within the scope of the definition of a brace.) According to Healthcare Finance
26 Administration (HCFA) Ruling 96-1, the "orthotics" benefit is limited to leg, arm, back,
27 and neck braces that are used independently rather than in conjunction with, or as
28 components of, other medical or non-medical equipment.

29
30 When determining the appropriate orthotic for a patient, the practitioner targets the
31 problems in performance of movements or tasks, or identifies a part that requires
32 immobilization, and selects the most appropriate orthotic device. The practitioner then fits
33 the device and trains the patient and/or caregivers in its proper use and application. The
34 goal is either to promote indicated immobilization or to assist the patient to function at a
35 higher level by decreasing functional limitations or the risk of further functional
36 limitations.

37
38 An orthotic may be prefabricated or custom-fabricated. A *prefabricated* orthotic is one that
39 is manufactured in quantity and then modified for a specific patient's needs. A
40 prefabricated orthotic may be trimmed, bent, molded (with or without heat), or otherwise
41 modified for use by a specific patient (i.e., custom fitted). An orthotic that is assembled
42 from prefabricated components is considered prefabricated.

1 A *custom* fabricated orthotic is one that is individually made for a specific patient starting
 2 with basic materials (e.g., plastic, metal, leather, or cloth) from the patient's individualized
 3 measurements. A molded-to-patient model orthotic is a particular type of custom fabricated
 4 orthotic in which an impression of the specific body part is made, and the impression is
 5 then used to make a positive model. The orthotic is molded from the patient-specific model.

6 7 **ORTHOTIC MANAGEMENT AND TRAINING**

8 Orthotic training may include teaching patients how to: 1) place and remove the orthosis;
 9 2) maintain a schedule for wearing the orthosis; 3) perform tasks while wearing the device;
 10 and 4) care for the skin over the area of device contact. For other patient situations however,
 11 a full patient evaluation may be needed to develop the appropriate treatment plan in
 12 addition to an assessment related to determining the specific orthotic.

13
 14 For example, a practitioner evaluates a patient for a wrist-hand orthotic with possible
 15 continued therapy. The practitioner spends 35 minutes evaluating the patient which
 16 includes the history, subjective complaints, prior and current functional levels, ROM,
 17 strength, sensation, skin integrity, and ADL assessment. This time would be assigned to
 18 the practitioner evaluation. The practitioner then begins the assessment of the patient for
 19 the orthotic which includes determining the need for the orthotic and the type of orthotic,
 20 subsequently fabricating the appropriate device and fitting it to the patient. This time,
 21 which takes 45 minutes, would be reimbursed under the L code. The practitioner spends
 22 an additional 20 minutes training the patient in the wearing schedule of the orthotic, skin
 23 care and exercises to be performed while the orthotic is in place. These 20 minutes would
 24 be assigned to code 97760 for the training component.

25
 26 Orthotic management/training during follow-up visits includes exercises performed in the
 27 orthotic, instruction in skin care and orthotic wearing time, and time associated with
 28 modification of the orthotic due to healing of tissues, change in edema, or interruption in
 29 skin integrity. An orthotic must also be medically necessary for the patient's condition. The
 30 documentation must justify the need for skilled qualified professional/auxiliary personnel
 31 to train the patient (CPT® 97760) in the use and care of the orthotic, which in turn is
 32 transitioned to the patient or the caregiver. An orthotic provided for positioning and/or
 33 increasing range of motion in a non-functional extremity must include documentation that
 34 the unique skills of a therapist are required to fit and manage the orthotic and that the
 35 orthotic is medically necessary for the patient's condition.

36
 37 For **uncomplicated** conditions, the following services would not be considered reasonable
 38 and necessary as they would not require the unique skills of a practitioner.

- 39 • Issuing off-the-shelf splints for foot drop or wrist drop
- 40 • Issuing off-the-shelf foot or elbow cradles for routine pressure relief (these are not
 41 considered orthotics)

- 1 • Issuing “carrots” (i.e., cylindrical, cone-shaped forms) or towel rolls for hand
- 2 contractures for hygienic purposes
- 3 • Bed positioning (e.g., pillows, wedges, rolls, foot cradles to relieve potential
- 4 pressure areas)

5

6 Repetitive range of motion prior to placing an orthotic/positioner to maintain the range of

7 motion is not reasonable and necessary when the therapeutic intent is primarily to maintain

8 range of motion within a chronic condition. Ongoing therapy visits for increasing wearing

9 time are generally not reasonable and necessary when patient problems related to the

10 orthotic have not been observed. Ongoing visits by the qualified professional/auxiliary

11 personnel to apply the device would be considered monitoring. Once the initial fit is

12 established, any further visits should be used for specific documented problems and

13 modifications that require skilled therapy (CPT® 97763).

14

15 It is reasonable to require 1-3 visits to fit and educate the patient or caregiver. The medical

16 necessity of any further visits must be supported by documentation in the medical record.

17

18 CPT® code 97760 is not for prefabricated/commercial (i.e., off the shelf) components such

19 as a lumbar roll, non-customized foam supports/wedges (e.g., heel cushions), or multi-

20 podus boots. Such components do not require the skills of a practitioner. Minor

21 modifications to prefabricated orthotics do not constitute a customized orthotic. In addition,

22 taking measurements to obtain custom fitted burn or pressure garments does not fit the

23 definition of an orthotic.

24

25 **SUPPORTIVE DOCUMENTATION RECOMMENDATIONS**

- 26 • A description of the patient's condition (including applicable impairments and
- 27 functional limitations) that necessitates an orthotic
- 28 • Any complicating factors, the specific orthotic provided and the date issued
- 29 • A description of the skilled training provided
- 30 • The patient’s response to the orthotic

31

32 **CHECKOUT FOR ORTHOTIC USE**

33 These assessments, CPT® code 97763, are intended for established patients who have

34 already received their orthotic device. These assessments of the response to wearing the

35 device may be reasonable and necessary when patients experience a loss of function

36 directly related to the device (e.g., pain, skin breakdown, and falls). This code includes the

37 patient’s response to wearing the device, whether the patient is putting on or removing the

38 device correctly, the patient’s need for padding, under-wrap, or socks, and the patient’s

39 tolerance to any dynamic forces being applied. If the checkout assessment resulted in the

40 need for further training in the use of the orthotic, code 97760 would be appropriate for the

41 training.

1 These assessments may not be considered reasonable and necessary when a device is newly
 2 issued or when a device is reissued or replaced after normal wear and no modifications are
 3 needed. Documentation must clearly support the need for more than 2 visits for the
 4 checkout assessment.

5
 6 **SUPPORTIVE DOCUMENTATION RECOMMENDATIONS**

- 7 • Reason for assessment
- 8 • Findings from the assessment
- 9 • Specific device, modifications made, and instruction given

10
 11 **HANDLING OF DEVICE: IMPLEMENTATION OF ORDER**

12 The CPT® code book describes 99002 as “Handling, conveyance, and/or any other service
 13 in connection with the implementation of an order involving devices (e.g., designing,
 14 fitting, packaging, handling, delivery or mailing) when devices such as orthotics,
 15 protectives, prosthetics are fabricated by an outside laboratory or shop but which items
 16 have been designed, and are to be fitted and adjusted by the attending physician or other
 17 qualified health care professional.” A practitioner may use this code for the processing of
 18 an orthotic which was ordered through another laboratory and then fitted by the
 19 practitioner.
 20

CPT® Code	CPT® Code Description
97760	Orthotic(s) management and training (including assessment and fitting when not otherwise reported), upper extremity(ies), lower extremity(ies) and/or trunk, initial orthotic(s) encounter, each 15 minutes
97763	Orthotic(s)/prosthetic(s) management and/or training, upper extremity(ies), lower extremity(ies), and/or trunk, subsequent orthotic(s)/prosthetic(s) encounter, each 15 minutes

21
 22 **PRACTITIONER SCOPE AND TRAINING**

23 Practitioners should practice only in the areas in which they are competent based on their
 24 education training and experience. Levels of education, experience, and proficiency may
 25 vary among individual practitioners. It is ethically and legally incumbent on a practitioner
 26 to determine if they have the knowledge and skills necessary to perform such services and
 27 whether the services are within their scope of practice.
 28

29 It is best practice for the practitioner to appropriately render services to a patient only if
 30 they are trained to competency, equally skilled, and adequately competent to deliver a
 31 service compared to others trained to perform the same procedure. If the service would be
 32 most competently delivered by another health care practitioner who has more skill and
 33 training, it would be best practice to refer the patient to the more expert practitioner.

1 Best practice can be defined as a clinical, scientific, or professional technique, method, or
 2 process that is typically evidence-based and consensus driven and is recognized by a
 3 majority of professionals in a particular field as more effective at delivering a particular
 4 outcome than any other practice (Joint Commission International Accreditation Standards
 5 for Hospitals, 2020).

6
 7 Depending on the practitioner’s scope of practice, training, and experience, a patient’s
 8 condition and/or symptoms during examination or the course of treatment may indicate the
 9 need for referral to another practitioner or even emergency care. In such cases it is essential
 10 for the practitioner to refer the patient for appropriate co-management (e.g., to their primary
 11 care physician) or if immediate emergency care is warranted, to contact 911 as appropriate.
 12 See the *Managing Medical Emergencies (CPG 159 – S)* clinical practice guideline for
 13 information.

14 **References**

15 American Medical Association. Current Procedural Terminology (CPT): Current year. Rev
 16 ed. Chicago, IL: American Medical Association; Current year

17
 18 American Occupational Therapy Association. Frequently Asked Questions About Billing
 19 for Orthotics. Published 2023. Retrieved January 19, 2026, from
 20 [https://www.aota.org/Advocacy-Policy/Federal-Reg-Affairs/Coding/orthotics-billing-](https://www.aota.org/Advocacy-Policy/Federal-Reg-Affairs/Coding/orthotics-billing-faq.aspx)
 21 [faq.aspx](https://www.aota.org/Advocacy-Policy/Federal-Reg-Affairs/Coding/orthotics-billing-faq.aspx)
 22

23
 24 Centers for Medicare and Medicaid Services (CMS). Local Coverage Determination
 25 (LCD): Outpatient PHYSICAL and Occupational THERAPY Services (L33631).
 26 Retrieved January 19, 2026 from [https://www.cms.gov/medicare-coverage-](https://www.cms.gov/medicare-coverage-database/details/lcd-details.aspx?LCDId=33631&ver=51&NCDId=72&ncdver=1&SearchType=Advanced&CoverageSelection=Both&NCSelection=NCD%7cTA&ArticleType=Ed%7cKey%7cSAD%7cFAQ&PolicyType=Final&s=---%7c5%7c6%7c66%7c67%7c9%7c38%7c63%7c41%7c64%7c65%7c44&KeyWord=laser+procedures&KeyWordLookUp=Doc&KeyWordSearchType=And&kq=true&b c=IAAAABAAAA&)
 27 [database/details/lcd-](https://www.cms.gov/medicare-coverage-database/details/lcd-details.aspx?LCDId=33631&ver=51&NCDId=72&ncdver=1&SearchType=Advanced&CoverageSelection=Both&NCSelection=NCD%7cTA&ArticleType=Ed%7cKey%7cSAD%7cFAQ&PolicyType=Final&s=---%7c5%7c6%7c66%7c67%7c9%7c38%7c63%7c41%7c64%7c65%7c44&KeyWord=laser+procedures&KeyWordLookUp=Doc&KeyWordSearchType=And&kq=true&b c=IAAAABAAAA&)
 28 [details.aspx?LCDId=33631&ver=51&NCDId=72&ncdver=1&SearchType=Advance](https://www.cms.gov/medicare-coverage-database/details/lcd-details.aspx?LCDId=33631&ver=51&NCDId=72&ncdver=1&SearchType=Advanced&CoverageSelection=Both&NCSelection=NCD%7cTA&ArticleType=Ed%7cKey%7cSAD%7cFAQ&PolicyType=Final&s=---%7c5%7c6%7c66%7c67%7c9%7c38%7c63%7c41%7c64%7c65%7c44&KeyWord=laser+procedures&KeyWordLookUp=Doc&KeyWordSearchType=And&kq=true&b c=IAAAABAAAA&)
 29 [d&CoverageSelection=Both&NCSelection=NCD%7cTA&ArticleType=Ed%7cKey](https://www.cms.gov/medicare-coverage-database/details/lcd-details.aspx?LCDId=33631&ver=51&NCDId=72&ncdver=1&SearchType=Advanced&CoverageSelection=Both&NCSelection=NCD%7cTA&ArticleType=Ed%7cKey%7cSAD%7cFAQ&PolicyType=Final&s=---%7c5%7c6%7c66%7c67%7c9%7c38%7c63%7c41%7c64%7c65%7c44&KeyWord=laser+procedures&KeyWordLookUp=Doc&KeyWordSearchType=And&kq=true&b c=IAAAABAAAA&)
 30 [%7cSAD%7cFAQ&PolicyType=Final&s=---](https://www.cms.gov/medicare-coverage-database/details/lcd-details.aspx?LCDId=33631&ver=51&NCDId=72&ncdver=1&SearchType=Advanced&CoverageSelection=Both&NCSelection=NCD%7cTA&ArticleType=Ed%7cKey%7cSAD%7cFAQ&PolicyType=Final&s=---%7c5%7c6%7c66%7c67%7c9%7c38%7c63%7c41%7c64%7c65%7c44&KeyWord=laser+procedures&KeyWordLookUp=Doc&KeyWordSearchType=And&kq=true&b c=IAAAABAAAA&)
 31 [%7c5%7c6%7c66%7c67%7c9%7c38%7c63%7c41%7c64%7c65%7c44&KeyWord=](https://www.cms.gov/medicare-coverage-database/details/lcd-details.aspx?LCDId=33631&ver=51&NCDId=72&ncdver=1&SearchType=Advanced&CoverageSelection=Both&NCSelection=NCD%7cTA&ArticleType=Ed%7cKey%7cSAD%7cFAQ&PolicyType=Final&s=---%7c5%7c6%7c66%7c67%7c9%7c38%7c63%7c41%7c64%7c65%7c44&KeyWord=laser+procedures&KeyWordLookUp=Doc&KeyWordSearchType=And&kq=true&b c=IAAAABAAAA&)
 32 [laser+procedures&KeyWordLookUp=Doc&KeyWordSearchType=And&kq=true&b](https://www.cms.gov/medicare-coverage-database/details/lcd-details.aspx?LCDId=33631&ver=51&NCDId=72&ncdver=1&SearchType=Advanced&CoverageSelection=Both&NCSelection=NCD%7cTA&ArticleType=Ed%7cKey%7cSAD%7cFAQ&PolicyType=Final&s=---%7c5%7c6%7c66%7c67%7c9%7c38%7c63%7c41%7c64%7c65%7c44&KeyWord=laser+procedures&KeyWordLookUp=Doc&KeyWordSearchType=And&kq=true&b c=IAAAABAAAA&)
 33 [c=IAAAABAAAA&](https://www.cms.gov/medicare-coverage-database/details/lcd-details.aspx?LCDId=33631&ver=51&NCDId=72&ncdver=1&SearchType=Advanced&CoverageSelection=Both&NCSelection=NCD%7cTA&ArticleType=Ed%7cKey%7cSAD%7cFAQ&PolicyType=Final&s=---%7c5%7c6%7c66%7c67%7c9%7c38%7c63%7c41%7c64%7c65%7c44&KeyWord=laser+procedures&KeyWordLookUp=Doc&KeyWordSearchType=And&kq=true&b c=IAAAABAAAA&)

34
 35 Dorland’s Illustrated Medical Dictionary. 32nd ed. Philadelphia, PA: Elsevier Saunders;
 36 2011

37
 38 American Physical Therapy Association. Guide to Physical Therapist Practice 4.0.
 39 Alexandria, VA: American Physical Therapy Association; 2023

40
 41 Joint Commission International. Joint Commission International Accreditation Standards
 42 for Hospitals. 7th ed. Oak Brook, IL: Joint Commission Resources; 2020

- 1 Orthotic management & prosthetic management. AMA CPT Assistant. 2007;17(2):8-9
- 2
- 3 Schunk C, Reed K, Deppeler D, eds. Clinical Practice Guidelines: Examination and
- 4 Intervention for Rehabilitation. 3rd ed. Seattle, WA: Therapeutic Associates; 2008